



# Product Data Sheet

## Heavy Duty Inspection Chamber BES



Heavy duty inspection and drainage chamber especially for the use on Elastodrain® EL 202.



EL 202-Support Board

### Technical Data

#### Heavy Duty Inspection Chamber BES

Made of galvanised steel with removable, secured grill, sand trap and pressure distributing support flange. Vertically adjustable to the respective layer height by extension pieces.

Outer dimension of the Chamber:	ca. 300 x 300 mm	(O)
Flange:	ca. 400 x 400 mm	(F)
Aperture dimension:	ca. 200 x 200 mm	(A)
Support area:	ca. 0.12 m <sup>2</sup>	
Mesh width:	ca. 11 x 41 mm	

Type	Height (H)	Weight	Order No.
BES 125	ca. 125 mm	ca. 26 kg	4812
BES 200	ca. 200 mm	ca. 32 kg	4820
BES 300	ca. 300 mm	ca. 39 kg	4830


#### Accessories for BES:

Extension Piece	ca. 25 mm	ca. 8.0 kg	4825
EL 202-Support Board	ca. 20 mm	ca. 3.5 kg	3225

### Features

- fit for heavy traffic (up to 30 t)
- drainage is possible on the surface cover as well as in the drainage layer
- vertically adjustable to different heights in 25 mm segments
- resistant to corrosion and extremely stable
- other dimensions, resp. other material possible on request

### Section Drawing



### Specification Suggestion

Inspection chamber made of galvanized steel, outer dimension of the Chamber ca. 300 x 300 mm, aperture dimension ca. 200 x 200 mm, with screw-on-grill, mesh width ca. 11 x 41 mm, sand trap made of aluminium and pressure distributing flange, supporting area ca. 0,12 m<sup>2</sup>, deliver and installation according to

manufacturer's instructions. Building height ..... mm (125, 200 or 300 mm or higher in 25 mm steps).

Make: ZinCo Heavy Duty Inspection Chamber BES  
 Enquiries: ZinCo Green Roof Systems Ltd.  
 Phone: +44 (0)1993 229 700